

Bioworld Technology,Inc.

Recombinant Shh, Mouse(CHO-expressed)

Catalog Number: BK0284-1mg

Source: CHO

Quantity: 1mg

Description:

Members of the Hedgehog (Hh) family are highly conserved proteins which are widely represented throughout the animal kingdom. The three known mammalian Hh proteins, Sonic (Shh), Desert (Dhh) and Indian (Ihh) are structurally related and share a high degree of amino-acid sequence identity (e.g., Shh and Ihh are 93% identical). The biologically active form of Hh molecules is obtained by autocatalytic cleavage of their precursor proteins and corresponds to approximately the N-terminal one half of the precursor molecule. Although Hh proteins have unique expression patterns and distinct biological roles within their respective regions of secretion, they use the same signaling pathway and can substitute for each other in experimental systems. Recombinant E.coli derived Human Sonic HedgeHog is a 20.0 kDa protein consisting of 176 amino acid residues, including an N-terminal Ile-Val-Ile sequence substituted for the natural occurring chemically modified Cys residue.

Molecular Weight:

20 kDa, observed by non-reducing SDS-PAGE.

Purity:

> 95% as analyzed by SDS-PAGE and HPLC.

Biological Activity:

 $ED50 < 1 \mu g/ml$, measured by its ability to induce alkaline phosphatase production by CCL-226 cells, corresponding to a specific activity of $>1 \times 10^{3}$ units/mg.

Physical Appearance:

Sterile Filtered White lyophilized (freeze-dried) powder.

Formulation:

Lyophilized after extensive dialysis against PBS.

AA Sequence:

CGPGRGFGKRRHPKKLTPLAYKQFIP-NVAEKTLGASGRYEGKITRNSERFKELT-PNYNPDIIFKDEENTGADRLMTQRCK-DKLNALAISVMNQWPGVKLRVTEGWD-EDGHHSEESLHYEGRAVDITTSDRDRSKYG-MLARLAVEAGFDWVYYESKAHIHCSV-KAENSVAAKSGG

Endotoxin:

 $< 0.2 \text{ EU/}\mu g$, determined by LAL method.

Reconstitution:

Reconstituted in ddH2O or PBS at 100 µg/ml.

Storage:

Lyophilized recombinant Murine Sonic Hedgehog (SHH) remains stable up to 6 months at -80 $^\circ C$ from date of receipt. Upon reconstitution, rmSHH should be stable up to 1 week at 4 $^{\circ}$ C or up to 2 months at -20 $^{\circ}$ C. Usage:

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. For research use only.