

RAR β (L359) polyclonal antibody

Catalog: BS1315

Host: Rabbit

Reactivity: Human, Mouse, Rat

Background:

Retinoids are metabolites of vitamin A (retinol) that are important signaling molecules during vertebrate development and tissue differentiation. Retinoic acid receptors (RARs) and retinoid X receptors (RXRs) are nuclear transcription factors that modulate the effects of retinoids (RA) on gene expression. Most retinoid forms (including all trans RA, 9-cis RA, 4oxo RA and 3,4 dihydro RA) activate RAR family members, whereas RXR family members are activated by 9-cis-RA only. RA binds RARs, inducing a change in receptor configuration that allows DNA binding and increased gene transcription from specific genes to occur. RAR family members, which include RAR α , RAR β and RAR γ , belong to the same class of nuclear transcription factors as thyroid hormone receptors, vitamin D3 receptor and ecdysone receptor. Retinoid receptor expression is tissue specific; the skin expresses RAR γ and RXR α .

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 52 kDa

Swiss-Prot:

P10826

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200

Storage&Stability:


Store at 4 °C short term. Aliquot and store at -20 °C long

term. Avoid freeze-thaw cycles.

Specificity:

Retinoic Acid Receptor β (L359) polyclonal antibody detects endogenous levels of Retinoic Acid Receptor β protein.

DATA:




Western blot (WB) analysis of RAR β (L359) pAb at 1:500 dilution

Lane1:SK-OVCAR3 whole cell lysate(40ug)

Lane2:MCF-7 whole cell lysate(40ug)

Lane3:C6 whole cell lysate(40ug)

Lane4:CT26 whole cell lysate(40ug)



Immunohistochemistry (IHC) analyzes of RAR β (L359) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151