

# PRODUCT DATA SHEET

Bioworld Technology,Inc.

# TGFβ RII (E246) polyclonal antibody

Catalog: BS1696 Host: Rabbit Reactivity: Human, Mouse, Rat

#### **BackGround:**

A total of three members of the TGF $\beta$  family, TGF $\beta$ 1, TGF $\beta$ 2 and TGF $\beta$ 3, have been identified in mammals. Each is synthesized as a latent precursor that is subsequently cleaved forming the 112 amino acid growth factor which becomes active upon dimerization. TGF $\beta$ s mediate their activity by high affinity binding to the type II receptor (TGF $\beta$  RII) transmembrane protein with a cytoplasmic serine-threonine kinase domain. For signaling growth inhibition and early gene responses the type II receptor requires both its kinase activity and association with a TGF $\beta$ -binding protein, designated the type I receptor. Two independent groups have recently described the cloning and sequence analysis of genes encoding TGF $\beta$  type I receptor proteins designated ALK-5 (T $\beta$ R-1) and TSR-1, respectively.

# **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

# **Molecular Weight:**

~ 65 kDa

## **Swiss-Prot:**

P37173

# **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

#### **Applications:**

WB: 1:500~1:1000 IHC: 1:50~1:200 Storage&Stability:


Store at 4 ℃ short term. Aliquot and store at -20 ℃ long

term. Avoid freeze-thaw cycles.

## **Specificity:**

TGF $\beta$  RII (E246) polyclonal antibody detects endogenous levels of TGF $\beta$  RII protein.

#### **DATA:**




Western blot (WB) analysis of TGFβ RII (E240) polyclonal antibody at 1:500 dilution

Lane1:A549 whole cell lysate

Lane2:NIH-3T3 whole cell lysate

Lane3:H9C2 whole cell lysate



Immunohistochemistry (IHC) analyzes of TGFβ RII (E246) pAb in paraffin-embedded human colorectal carcinoma tissue at 1:50.

## Note:

For research use only, not for use in diagnostic procedure.

# Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <u>info@biogot.com</u>
Tel: 0086-025-68037686
Fax: 0086-025-68035151