

FLIP (H204) polyclonal antibody

Catalog: BS2545

Host: Rabbit

Reactivity: Human, Mouse, Rat

Background:

FLIP (FLICE inhibitory protein) is expressed as both long and short forms and is involved in the regulation of apoptosis. The short form of FLIP contains two death effector domains homologous to the death effector domain of the Fas-associating protein FADD. The long form of FLIP, which shares significant homology with the cysteine protease FLICE, contains an additional caspase-like domain, but lacks a catalytic active site and lacks the residues that form the substrate binding pocket in most caspases. FLIP has been designated by independent groups as Casper, I-FLICE, CLARP, FLAME-1 and MRIT. Although its exact role is still being elucidated, FLIP appears to be an important factor in the regulation of apoptosis downstream of all known death receptors.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 55 kDa

Swiss-Prot:

O15519

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific im-

munogen and the purity is > 95% (by SDS-PAGE).

Applications:

IHC: 1:50~1:200


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

FLIP (H204) polyclonal antibody detects endogenous levels of FLIP protein.

DATA:



Immunohistochemistry (IHC) analyzes of FLIP (H204) pAb in paraffin-embedded human breast carcinoma tissue at 1:50.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151