

EGFR (S1104) polyclonal antibody

Catalog: BS3659

BackGround:

Host: Rabbit

The EGF receptor family comprises several related re-

ceptor tyrosine kinases that are frequently overexpressed in a variety of carcinomas. Members of this receptor fam-

ily include EGFR (HER1), Neu (ErbB-2, HER2), ErbB-3

(HER3) and ErbB-4 (HER4), which form either homodi-

mers or heterodimers upon ligand binding. Ligand bind-

ing promotes the internalization of EGFR via Clath-

rin-coated pits and its subsequent degradation in response

to its intrinsic tyrosine kinase. EGFR is involved in organ

morphogenesis and maintenance and repair of tissues, but

upregulation of EGFR is associated with tumor progres-

sion. The oncogenic effects of EGFR include initiation of

DNA synthesis, enhanced cell growth, invasion and me-

tastasis. Abrogation of EGFR results in cell cycle arrest, apoptosis or dedifferentiation of cancer cells, suggesting

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide,

that EGFR may be an effective therapeutic target.

Reactivity: Human

munogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at $-20 \,^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

EGFR (S1104) polyclonal antibody detects endogenous levels of EGFR protein.

DATA:



Western blot (WB) analysis of EGFR (S1104) pAb at 1:500 dilution Lane1:HCC827 whole cell lysate(5ug) Lane2:A549 whole cell lysate(20ug) Lane3:SKOVCAR3 whole cell lysate(20ug)

Note:

For research use only, not for use in diagnostic procedure.

Swiss-Prot: P00533

~ 175 kDa

Product:

Purification&Purity:

50% glycerol, pH7.2

Molecular Weight:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific im-

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd.

 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151