

## IFI-16 (N772) polyclonal antibody

| Cata | log: | BS3865 |
|------|------|--------|
|------|------|--------|

Host: Rabbit

bit

Reactivity: Human

#### **BackGround:**

Interferon-gamma inducible protein 16 (IFI16) belongs to the HIN-200 family of transcriptional regulator linked to cell cycle regulation and differentiation by modulating the activities of multiple transcriptional factors, such as p53 and Rb. The HIN-200 (hematopoeitic interferon-inducible nuclear antigens with 200 amino acid repeat) family members contain a DNA binding domain, a transcriptional regulatory domain, DAPIN/PAAD domain associated with interferon response and a binding domain for BRCA1. IFI16 may have a role in the regulation of hematopoeitic cell differentiation and also be involved in DNA repair since it becomes a component of the DNA repair multi-protein BASC complex after UV-induced DNA damage. IFI16 is strongly induced by gamma interferon in vivo.

#### **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

~ 88 kDa

### **Swiss-Prot:**

#### Q16666

#### **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

**Applications:** 

IHC: 1:50~1:200

#### **Storage&Stability:**

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

#### **Specificity:**

IFI-16 (N772) polyclonal antibody detects endogenous levels of IFI-16 protein.

DATA:

#### Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,<br/>MN 55416,USA.Email:info@bioworlde.comTel:6123263284Fax:6122933841

# Bioworld technology, co. Ltd.Add:No 9, weidi road Qixia District Nanjing, 210046,<br/>P. R. China.Email:info@biogot.comTel:0086-025-68037686Fax:0086-025-68035151