

beta II Tubulin Rabbit monoclonal antibody

Catalog: BS40129

Host: Rabbit

Reactivity: Human Mouse Rat

BackGround:

Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha chain.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.

Molecular Weight:

50kDa

Swiss-Prot:

P68371/Q13885/Q9BVA1

Purification&Purity:

Affinity-chromatography

Applications:


WB 1:1000~1:2000 IHC 1:50~1:200 ICC/IF 1:50~1:200
IP 1:50

Storage&Stability:


Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

beta II Tubulin Antibody detects endogenous levels of total beta II Tubulin

DATA:


Western blot analysis of beta II Tubulin expression in C6 cell lysate.



Immunohistochemical analysis of paraffin-embedded mouse brain, using beta II Tubulin Antibody.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151