

ABCA4 polyclonal antibody

Catalog: BS60799

Host: Rabbit

Reactivity: Human, Mouse, Rat

Background:

The ATP-binding cassette (ABC) superfamily is comprised of transmembrane proteins involved in energy-dependent transport of a variety of substrates across membranes. ABCA4 (also designated ABCR, photoreceptor RIM or RMP) is a photoreceptor specific ATP-binding cassette (ABC) transporter. ABCA4 is exclusively expressed within photoreceptor cells, indicating that ABCA4 mediates the transport of an essential molecule either into or out of photoreceptor cells. Mutations in the gene encoding ABCA4 are responsible for autosomal recessive Stargardt disease (STGD), an early onset macular degeneration, and some forms of autosomal recessive cone-rod dystrophy and autosomal recessive retinitis pigmentosa. In addition, heterozygosity for ABCA4 mutations may possess a risk factor for age-related macular degeneration. ABCA4 is most closely related to the mouse and human ABC1 and ABC2 and maps to human chromosome 1p22.1.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 256 kDa

Swiss-Prot:

P78363

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

ABCA4 polyclonal antibody detects endogenous levels of ABCA4 protein.

DATA:




Western blot (WB) analysis of ABCA4 polyclonal antibody at 1:500 dilution

Lane1:HEK293T whole cell lysate


Lane2:sp2/0 whole cell lysate

Lane3:PC12 whole cell lysate



BS60799
Lot CN45141

Immunohistochemistry (IHC) analyzes of ABCA4 pAb in paraffin-embedded human colon carcinoma tissue at 1:50, showing membrane staining. Negative control (the right) Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.



BS60799
Lot CN45141

Immunohistochemistry (IHC) analyzes of ABCA4 pAb in paraffin-

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151



PRODUCT DATA SHEET

Bioworld Technology, Inc.

fin-embedded human kidney carcinoma tissue at 1:50, showing membrane staining. Negative control (the right) Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed

by avidin-peroxidase.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,
MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,
P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151