

PRODUCT DATA SHEET

Bioworld Technology,Inc.

RASGRF1(Phospho-S916) polyclonal antibody

Catalog: BS64139 Host: Rabbit Reactivity: Human

BackGround:

A critical step in signal transduction responses to stimulation of cell surface receptors by their ligands involves the accumulation of Ras proteins in their active GTP-bound state. To reach their active GTP-bound state, Ras proteins must first release bound GDP, a rate-limiting step mediated by a guanine nucleotide releasing factor (GRF). The mammalian Ras p21 GRF protein has been designated Ras-GRF p140. Ras-GRF accelerates release of GDP from H- and N-Ras p21 protein in vitro, but not from the related Ral A or Cdc42Hs GTP-binding proteins. Of interest, a region mapping within the amino terminal domain of Ras-GRF is similar to both the human breakpoint cluster protein, Bcr, and the Dbl proto-oncogene product, a guanine nucleotide-releasing factor for CDC42Hs. Ras-GRF2 p135 has also been identified. Ras-GRF2 p135 is highly homologous to Ras-GRF1 p140 except in the region between the REM and CDC25 domains and appears to function similarly to Ras-GRF1 p140.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.

Molecular Weight:

~ 145 kDa

Swiss-Prot:

Q13972

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at $4 \, \mathbb{C}$ short term. Aliquot and store at $-20 \, \mathbb{C}$ long term. Avoid freeze-thaw cycles.

Specificity:

RASGRF1(Phospho-S916) polyclonal antibody detects endogenous levels of RASGRF1 protein only when phosphorylated at Ser916.

DATA:



Western blot (WB) analysis of RASGRF1(Phospho-S916) polyclonal antibody at 1:500 dilution

Lane1:U-87MG whole cell lysate(40ug)

Lane2:H1792 whole cell lysate(40ug)

Lane3:Panc1 whole cell lysate(40ug)

Lane4:A549 whole cell lysate(40ug)

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: info@biogot.com
Tel: 0086-025-68037686
Fax: 0086-025-68035151