

## **NNF1R Polyclonal Antibody**

|          |         |       |        |             | Hu-                          |
|----------|---------|-------|--------|-------------|------------------------------|
| Catalog: | BS65456 | Host: | Rabbit | Reactivity: | man,Mouse,Rat,Dog,Pig,Cow,Ho |
|          |         |       |        |             | rse,Sheep,                   |
|          |         |       |        |             |                              |

## **BackGround:**

NNF1R, also called PMF1, is part of the MIS12 complex, which may be fundamental for kinetochore formation and proper chromosome segregation during mitosis. It is required for chromosome congression and for correct operation of the spindle checkpoint. May act as a cotranscription partner of NFE2L2 involved in regulation of polyamine-induced transcription of SSAT.

#### **Product:**

0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

**Molecular Weight:** 

34 kD

**Swiss-Prot:** 

Q6P1K2

**Purification&Purity:** 

affinity purified by Protein A

**Applications:** 

IHC-P=1:100-500


**Storage&Stability:** 

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.


#### **Specificity:**

NNF1R Polyclonal Antibody detects endogenous levels of NNF1R protein.

**DATA:** 



Paraformaldehyde-fixed, paraffin embedded (rat heart); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 °C for 30min; Antibody incubation with (NNF1R) Polyclonal Antibody, Unconjugated at 1:200 overnight at 4 °C.



Paraformaldehyde-fixed, paraffin embedded (rat kidney); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37 °C for 30min; Antibody incubation with (NNF1R) Polyclonal Antibody, Unconjugated at 1:200 overnight at 4 °C.

#### Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc.

| Add:   | 1660 South Highway 100, Suite 500 St. Louis Park, |
|--------|---|
|        | MN 55416,USA.                                     |
| Email: | info@bioworlde.com                                |
| Tel:   | 6123263284  |
| Fax:   | 6122933841  |

# Bioworld technology, co. Ltd.

 
 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151