

# PRODUCT DATA SHEET

Bioworld Technology,Inc.

# NLRP2 polyclonal antibody

Catalog: BS71129 Host: Rabbit Reactivity: Human, Mouse

#### **BackGround:**

This gene is a member of the nucleotide-binding and leucine-rich repeat receptor (NLR) family, and is predicted to contain an N-terminal pyrin effector domain (PYD), a centrally-located nucleotide-binding and oligomerization domain (NACHT) and C-terminal leucine-rich repeats (LRR). Members of this gene family are thought to be important regulators of immune responses. This gene product interacts with components of the IkB kinase (IKK) complex, and can regulate both caspase-1 and NF-kB (nuclear factor kappa-light-chain-enhancer of activated B cells) activity. The pyrin domain is necessary and sufficient for suppression of NF-kB activity. An allelic variant (rs147585490) has been found that is incapable of blocking the transcriptional activity of NF-kB. Alternative splicing results in multiple transcript variants encoding different isoforms.

## **Product:**

1 mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

#### **Molecular Weight:**

120KDa

### **Swiss-Prot:**

Q9NX02

## **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

# **Applications:**

WB,1:500 - 1:2000|IF/ICC,1:50 - 1:200

## Storage&Stability:


Store at 4 ℃ short term. Aliquot and store at -20 ℃ long

term. Avoid freeze-thaw cycles.


#### **Category:**

Polyclonal Antibodies

#### **DATA:**



Western blot analysis of extracts of various cell lines, using NLRP2 antibody at 1:1000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.<br/>
br/>Lysates/proteins: 25ug per lane.<br/>
Blocking buffer: 3% nonfat dry milk in TBST.<br/>
Detection: ECL Basic Kit .<br/>
Exposure time: 90s.



Immunofluorescence analysis of NIH/3T3 cells using NLRP2 Rabbit pAb at dilution of 1:100 . Blue: DAPI for nuclear staining.

## Note:

For research use only, not for use in diagnostic procedure.

## Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <a href="mailto:info@biogot.com">info@biogot.com</a>
Tel: 0086-025-68037686
Fax: 0086-025-68035151