

# **4EBP1** monoclonal antibody

Cata	log:	MB67094
------	------	---------

Host: Mo

Mouse

Reactivity: Human

# **BackGround:**

Translation repressor protein 4E-BP1 (also known as PHAS-1) inhibits cap-dependent translation by binding to the translation initiation factor eIF4E. Hyperphosphorylation of 4E-BP1 disrupts this interaction and results in activation of cap-dependent translation. Both the PI3 kinase/Akt pathway and FRAP/mTOR kinase regulate 4E-BP1 activity. Multiple 4E-BP1 residues are phosphorylated in vivo. While phosphorylation by FRAP/mTOR at Thr37 and Thr46 does not prevent the binding of 4E-BP1 to eIF4E, it is thought to prime 4E-BP1 for subsequent phosphorylation at Ser65 and Thr70.

## **Product:**

Mouse IgG1 kappa. Liquid in PBS, pH 7.3, 30% glycerol, and 0.01% sodium azide.

**Molecular Weight:** 

### ~ 17 kDa

**Swiss-Prot:** 

Q13541

**Purification&Purity:** 

This antibody is purified through a protein G column.

# **Applications:**

WB (1/500 - 1/1000)


### Storage&Stability:

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

### **Specificity:**

Recognizes endogenous levels of 4EBP1 protein.

#### DATA:



Western blot analysis of 4EBP1 expression in K562 (A) whole cell lysates.

### Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.		
Add:	1660 South Highway 100, Suite 500 St. Louis Park,	
	MN 55416,USA.	
Email:	info@bioworlde.com	
Tel:	6123263284	
Fax:	6122933841	