

## PRODUCT DATA SHEET

Bioworld Technology,Inc.

# **HA-tag polyclonal antibody**

Catalog: AP0005 Host: Rabbit Reactivity: All

#### **BackGround:**

Human influenza hemagglutinin (HA) is a surface glycoprotein required for the infectivity of the human virus. The HA tag is derived from the HA molecule corresponding to amino acids 98-106 has been extensively used as a general epitope tag in expression vectors. Many recombinant proteins have been engineered to express the HA tag, which does not appear to interfere with the bioactivity or the biodistribution of the recombinant protein. This tag facilitates the detection, isolation, and purification of the proteins.

#### **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

## **Molecular Weight:**

N/A

## **Swiss-Prot:**

N/A

## **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

## **Applications:**

WB: 1:500~1:1000 IF: 1:50~1:200


## Storage&Stability:

Store at  $4\,\mathrm{C}$  short term. Aliquot and store at  $-20\,\mathrm{C}$  long term. Avoid freeze-thaw cycles.

## **Specificity:**


HA-tag polyclonal antibody detects over-expressed or recombinant proteins containing the HA epitope tag.

## **DATA:**



Western blot (WB) analysis of HA-tag polyclonal antibody at 1:5000 dillution

Lane1:HEK293T whole cell lysate ,untransfected ( $40\mu g$ ) Lane2:HEK293T whole cell lysate , transfected with pRK5-(HA)2-RhoA( $35\mu g$ )



IF image of AP0005 stained HEK293T cells, transfected with pcDNA3.1-p62 #PPL00549-2b. The cells were 4% paraformaldehyde fixed (20 min) and then incubated in 10% normal goat serum for 1h to permeabilise the cells and block non-specific protein-protein interactions. The cells were then incubated with the antibody HA-tag pAb #AP0005(1:200) at 5  $\mu$ g/ml overnight at +4 °C. The secondary antibody (Green) wasGoat anti-Rabbit IgG (H+L) -FITC#BS10950 used at a 1/1000 dilution for 1h. Hoechst33342 #BD5011 was used to stain the cell nuclei (blue).

#### Note:

For research use only, not for use in diagnostic procedure.

## Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <a href="mailto:info@biogot.com">info@biogot.com</a>
Tel: 0086-025-68037686
Fax: 0086-025-68035151