PRODUCT DATA SHEET



Bioworld Technology,Inc.

Recombinant IFN-γ R II, Human

Catalog Number: BK0222-10µg Source: CHO Quantity: 10µg

Description:

IFN-gamma Receptor II, also known as IFNGR2 and IFNGT1, is a transmembrane protein belonging to the type II cytokine receptor family. IFNGR2 is a non-ligand-binding beta chain of the IFN-gamma receptor. It is an integral part of the IFN-gamma signaling transduction pathway and is likely to interact with GAF, JAK1 and JAK2. Defects in IFNGR2 are a cause of autosomal recessive Mendelian susceptibility to mycobacterial disease (MSMD), also known as familial disseminated atypical mycobacterial infection.

Molecular Weight:

38-40 kDa, observed by reducing SDS-PAGE.

Purity:

> 95% as analyzed by SDS-PAGE.

Biological Activity:

 $ED50 < 0.1 \mu g/ml$, measured in a cell cytotoxicity assay using HT-29 (HTB-38) cells in the presence of 1ng/ml human IFN-gamma.

Physical Appearance:

Sterile Filtered White lyophilized (freeze-dried) powder.

Formulation:

Lyophilized after extensive dialysis against PBS.

AA Sequence:

SQLPAPQHPKIRLYNAEQVLSWEPVALS-NSTRPVVYQVQFKYTDSKWFTADIMSIGVNCTQI TATECDFTAASPSAGFPMDFNVTLRLRAEL-GALHSAWVTMPWFQHYRNVTVGPPENIEV-TPGEGSLIIRFSSPFDIADTSTAFFCYYVHY-WEKGGIQQVKGPFRSNSISLD-NLKPSRVYCLQVQAQLLWNK-SNIFRVGHLSNISCYETMADASTELQQ

Endotoxin:

< 0.2 EU/µg, determined by LAL method.

Reconstitution:

Reconstituted in ddH2O or PBS at 100 µg/ml.

Storage:

Lyophilized recombinant Human IFN-gamma Receptor II remains stable up to 6 months at -80 $^{\circ}$ C from date of receipt. Upon reconstitution, Human IFN-gamma Receptor II should be stable up to 1 week at 4 $^{\circ}$ C or up to 2 months at -20 $^{\circ}$ C.

Usage:

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. For research use only.