

PRODUCT DATA SHEET

Bioworld Technology,Inc.

Cyclin A (W250) polyclonal antibody

Catalog: BS1083 Host: Rabbit Reactivity: Human, Mouse, Rat

BackGround:

The critical role that the family of regulatory proteins known as cyclins play in eukaryotic cell cycle regulation is well established. The best-characterized cyclin complex is the mitotic cyclin B/Cdc2 p34 kinase, the active component of maturing promoting factor. Cyclin A accumulates prior to cyclin B in the cell cycle, appears to be involved in control of S phase and has been shown to associate with cyclin-dependent kinase-2 (Cdk2). In addition, cyclin A has been implicated in cell transformation and is found in complexes with E1A, transcription factors DRTF1 and E2F and retinoblastoma protein, p110. A second form of cyclin A, named cyclin A1 because of its high sequence homology to Xenopus cyclin A1, is most highly expressed in germ cells. It has been proposed that cyclin A1 can associate with Cdk2, p39 and Cdc2 p34.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 52 kDa

Swiss-Prot:

P78396/P20248

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000 IHC: 1:50~1:200 IF: 1:50~1:200

Storage&Stability:


Store at 4 ${\mathbb C}$ short term. Aliquot and store at -20 ${\mathbb C}$ long

term. Avoid freeze-thaw cycles.

Specificity:

Cyclin A (W250) polyclonal antibody detects endogenous levels of Cyclin A protein.

DATA:




Western blot (WB) analysis of Cyclin A (W250) pAb at 1:500 dilution

Lane1:K562 whole cell lysate(40ug)

Lane2:SGC7901 whole cell lysate(40ug)

Lane3:The Testis tissue lysate of Mouse(40ug)

Lane4: The Testis tissue lysate of Rat(40ug)



Immunohistochemistry (IHC) analyzes of Cyclin A (W250) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <u>info@biogot.com</u>
Tel: 0086-025-68037686
Fax: 0086-025-68035151