

IKKβ (F182) polyclonal antibody

Catalog: **BS1407** Host:

Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

The transcription factor NFkB is retained in the cytoplasm in an inactive form by the inhibitory protein IkB. Activation of NFkB requires that IkB be phosphorylate on specific serine residues, which results in targeted degradation of IkB. IkB kinase α (IKK α), previously designated CHUK, interacts with IkB-a and specifically phosphorylates I κ B- α on Serines 32 and 36, the sites that trigger its degradation. IKKa appears to be critical for NFkB activation in response to proinflammatory cytokines. Phosphorylation of IkB by IKKa is stimulated by the NFkB inducing kinase (NIK), which itself is a central regulato for NFkB activation in response to TNF and IL-1. The functional IKK complex contains three subunits, IKKa, IKKB and IKKy (also designated NEMO), and each appear to make essential contributions to IkB phosphorylation.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 86 kDa

Swiss-Prot:

014920

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum

by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

IHC: 1:50~1:200


Storage&Stability:

Store at $4 \, \mathbb{C}$ short term. Aliquot and store at $-20 \, \mathbb{C}$ long term. Avoid freeze-thaw cycles.

Specificity:

IKK-β (F182) polyclonal antibody detects endogenous levels of IKK-β protein.

DATA:



Immunohistochemistry (IHC) analyzes of IKK-β (F182) pAb in paraffin-embedded human breast carcinoma tissue.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 6122933841 Fax:

Bioworld technology, co. Ltd. No 9, weidi road Qixia District Nanjing, 210046, Add: P. R. China. **Email:** info@biogot.com Tel: 0086-025-68037686 0086-025-68035151 Fax: