

AIM2 (A78) polyclonal antibody

Catalog: BS2393

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Interferon-inducible protein AIM2 (absent in melanoma 2) is a 343 amino acid protein belonging to the HIN-200 family. Induced by IFN- γ , AIM2 is thought to act as a tumor suppressor by repressing NF κ B transcriptional activity. Localized to the nucleus, AIM2 contains one DAPIN domain and one HIN-200 domain. The DAPIN domain is composed mostly of α -helixes and is a protein-protein interaction domain capable of binding other DAPIN domains. The HIN-200 domain has been shown to bind directly to DNA, which, along with the binding of another protein ASC, results in the activation of caspase-1. AIM2 is present as a homodimer and is expressed highly in small intestine, testis, peripheral blood leukocytes and spleen. Defects in AIM2 are believed to be a cause of microsatellite unstable colon cancers.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 39 kDa

Swiss-Prot:

O14862

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum

by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

IHC: 1:50~1:200


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

AIM2 (A78) polyclonal antibody detects endogenous levels of AIM2 protein.

DATA:



Immunohistochemistry (IHC) analyzes of AIM2 (A78) pAb in paraffin-embedded human brain tissue.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151