

IAP2 Rabbit monoclonal antibody

Catalog: BS40015

Host: Rabbit

Reactivity: Human

BackGround:

Apoptotic suppressor. The BIR motifs region interacts with TNF receptor associated factors 1 and 2 (TRAF1 and TRAF2) to form a heteromeric complex, which is then recruited to the tumor necrosis factor receptor 2 (TNFR2).

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.

Molecular Weight:

~ 80 kDa

Swiss-Prot:

Q13489

Purification&Purity:

Affinity-chromatography

Applications:

WB 1:500~1:2000 IHC 1:50~1:100 ICC/IF 1:50~1:100
IP 1:50


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

IAP2 Antibody detects endogenous levels of total IAP2

DATA:



Western blot (WB) analysis of IAP2 Rabbit monoclonal antibody at 1:500 dilution

Lane1:A549 whole cell lysate(30ug)

Lane2:Hela whole cell lysate(30ug)

Lane3:PC3 whole cell lysate(30ug)

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151