

Cbl (phospho-Y674) polyclonal antibody

Catalog: BS4264

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Cbl (also designated the c-Cbl proto-oncogene, E3 ubiquitin-protein ligase CBL ,Casitas B-lineage lymphoma proto-oncogene and RING finger protein 55) has been identified as the cellular homolog of the v-Cbl oncogene isolated from an NFS/N mouse that developed a pre-B cell lymphoma following infection with the replication-competent Cas Br-M murine leukemic virus. c-Cbl is expressed at relatively high levels in a wide range of hematopoietic tumor cell lines as well as in normal tissues such as thymus and testis. The c-Cbl gene product has been identified as a cytoplasmic protein with apparent DNA binding and dimerization domains characteristic of transcription factors. A single c-Cbl locus termed CBL2 has been mapped to human chromosome 11q23. This region of chromosome 11 is involved in translocations and deletions in a broad range of leukemias; c-Cbl has been found to be translocated from chromosome 11 in leukemias with either t(4;11) or t(11;14) abnormalities.

Product:

1mg/ml in PBS with 0.1% Sodium Azide, 50% Glycerol. Molecular Weight:

~ 100, 120kDa

Swiss-Prot:

P22681

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).


Applications:

WB: 1:500~1:1000 IHC: 1:50~1:200 Storage&Stability: Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at $-20 \,^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

p-Cbl (Y674) polyclonal antibody detects endogenous levels of Cbl only when phosphorylated at Tyr674.

DATA:




Western blot (WB) analysis of p-Cbl (Y674) polyclonal antibody at 1:500 dilution

Lane1:Hela cell lysate treated with EGF

Lane2:Mouse liver tissue lysate

Lane3:Rat liver tissue lysate



Immunohistochemistry (IHC) analysis of p-Cbl (Y674) pAb in paraffin-embedded human colon carcinoma tissue.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd.

 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151