

Bioworld Technology,Inc.

HIPK2 polyclonal antibody

Catalog: BS60320

Host: F

Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

The Homeodomain-Interacting Protein Kinase (HIPK) family, which includes HIPK1, HIPK2, HIPK3, contains a conserved protein kinase domain as well as a separate domain that interacts with homeoproteins. HIPK2, the most highly characterized family member, is thought to act as a co-repressor of homeodomain transcription factors as HIPK2 has been shown to enhance the DNA binding of the NK-3 homeoprotein in vitro. It is regulated by a posttranslational modification of a ubiquitin-like protein, SUMO-1, via covalent bonding to a lysine residue on HIPK2. This is similar to the binding of SUMO-1 to PML and Sp100. The conjugation of SUMO-1 is thought to direct each of these proteins to nuclear bodies (NBs), which appear to play a role in autoimmunity and viral protection. HIPK2 is the first protein kinase to be directed to nuclear bodies in response to ubiquitin-like modification.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 110 kDa

Swiss-Prot:

Q9H2X6

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at $-20 \,^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

HIPK2 polyclonal antibody detects endogenous levels of HIPK2 protein.

DATA:



Western blot (WB) analysis of HIPK2 polyclonal antibody at 1:500 dilution

Lane1:Hela cell lysate

Lane2:sp2/0 cell lysate

Lane3:PC12 cell lysate

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd.

 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151