

SND1 polyclonal antibody

Catalog: BS62521 Host: Rabbit	Reactivity: Human, Mouse, Rat
BackGround:	SND1 polyclonal antibody detects endogenous levels of
Functions as a bridging factor between STAT6 and the	SND1 protein.
basal transcription factor. Plays a role in PIM1 regulation	DATA:
of MYB activity. Functions as a transcriptional coactiva- tor for the Epstein-Barr virus nuclear antigen 2 (EBNA2).	к Da А В С D Е 180
Product:	130 ~ ~
Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide,	95
50% glycerol, pH7.2	72
Molecular Weight:	55
~ 102 kDa	
Swiss-Prot:	Western blot (WB) analysis of SND1 polyclonal antibody at 1:500 dilu-
Q7KZF4	tion
Purification&Purity:	LaneA:HepG2 whole cell lysate
The antibody was affinity-purified from rabbit antiserum	LaneB:HCT116 whole cell lysate
by affinity-chromatography using epitope-specific im-	LaneC:A2780 whole cell lysate
munogen and the purity is $> 95\%$ (by SDS-PAGE).	LaneD:H9C2 whole cell lysate
Applications:	LaneE:AML-12 whole cell lysate Note:
WB:1:500~1:1000 IHC:1:50~1:200	For research use only, not for use in diagnostic procedure.
Storage&Stability:	
Store at 4 $^{\circ}$ C short term. Aliquot and store at -20 $^{\circ}$ C long	

term. Avoid freeze-thaw cycles.

Specificity:

Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,
MN 55416,USA.Email:info@bioworlde.comTel:6123263284Fax:6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151