

# PRODUCT DATA SHEET

Bioworld Technology,Inc.

# CD9 polyclonal antibody

Catalog: BS6548 Host: Rabbit Reactivity: Human, Mouse, Rat

#### **BackGround:**

This gene encodes a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Tetraspanins are cell surface glycoproteins with four transmembrane domains that form multimeric complexes with other cell surface proteins. The encoded protein functions in many cellular processes including differentiation, adhesion, and signal transduction, and expression of this gene plays a critical role in the suppression of cancer cell motility and metastasis.

## **Product:**

1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

### **Molecular Weight:**

22KDa

#### **Swiss-Prot:**

P21926

#### **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

## **Applications:**

WB,1:500 - 1:2000|IHC,1:50 - 1:200

## Storage&Stability:


Store at  $4\,\mathrm{C}$  short term. Aliquot and store at  $-20\,\mathrm{C}$  long term. Avoid freeze-thaw cycles.

#### Category:

Polyclonal Antibodies

#### **DATA:**

Western blot analysis of various lysates, using CD9 antibody at 1:7504 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.<br/>
Serondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.<br/>
Serondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.<br/>
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:0000 dilution.



Immunohistochemistry of paraffin-embedded human smooth muscle using CD9 Rabbit pAb at dilution of 1:100 .Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

#### Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <u>info@biogot.com</u>
Tel: 0086-025-68037686
Fax: 0086-025-68035151