

## GEM Polyclonal Antibody

Catalog: BS65756	Host: Rabbit	Reactivity: Hu- man, Mouse, Rat, Dog, Pig, Cow, Horse,
------------------	--------------	---

### Background:

Gem belongs to the Rad/Gem/Kir (RGK) subfamily of Ras-related GTPases, which lack typical C-terminal amino acid motifs for isoprenylation. Rad and Gem bind calmodulin in a  $Ca^{2+}$ -dependent manner via this C-terminal extension, involving residues 278–297 in human Rad. High intracellular Gem levels, which interact with intact microtubules and microfilaments, promote profound changes in cell morphology. Ectopic Gem expression is sufficient to stimulate cell flattening and neurite extension in N1E-115 and SH-SY5Y neuroblastoma cells, suggesting a role for Gem in cytoskeletal rearrangement and/or morphological differentiation of neurons. Gem was also observed in developing trigeminal nerve ganglia in 12.5 day mouse embryos, demonstrating that Gem expression is a property of normal ganglionic development. The interaction of Gem with beta-subunits regulates  $Ca^{2+}$  channel expression at the cell surface. The human Gem gene maps to chromosome 8q22.1.

### Product:

0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.

### Molecular Weight:

34kDa

### Swiss-Prot:

P55040

### Purification&Purity:

affinity purified by Protein A

### Applications:

IHC-P=1:100-500


### Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

### Specificity:

GEM Polyclonal Antibody detects endogenous levels of GEM protein.

### DATA:



Paraformaldehyde-fixed, paraffin embedded (human gastric carcinoma);  
Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min;  
Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes;  
Blocking buffer (normal goat serum) at 37 °C for 30min; Antibody incubation with (GEM) Polyclonal Antibody, Unconjugated at 1:200 overnight at 4 °C

### Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: [info@bioworld.com](mailto:info@bioworld.com)

Tel: 6123263284

Fax: 6122933841

### Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: [info@biogot.com](mailto:info@biogot.com)

Tel: 0086-025-68037686

Fax: 0086-025-68035151