


MIA3 Polyclonal Antibody

Catalog: BS65828 Host: Rabbit	Reactivity: Human, Mouse, Rat,
BackGround:	trieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block en- dogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Block-
Product: 0.01M TBS(pH7.4) with 1% BSA, 0.03% Proclin300 and 50% Glycerol.	ing buffer (normal goat serum) at 37 $^{\circ}$ C for 30min; Antibody incubation with (MIA3) Polyclonal Antibody, Unconjugated at 1:400 overnight at 4 $^{\circ}$ C
Molecular Weight: ~214kDa Swiss-Prot:	
Q5JRA6 Purification&Purity: affinity purified by Protein A	
Applications: IHC-P=1:100-500	Paraformaldehyde-fixed, paraffin embedded (Rat brain); Antigen re- trieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block en-
Storage&Stability:Store at 4 °C short term. Aliquot and store at -1 °C longterm. Avoid freeze-thaw cycles.Specificity:	dogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Block- ing buffer (normal goat serum) at 37 $^{\circ}$ C for 30min; Antibody incubation with (MIA3) Polyclonal Antibody, Unconjugated at 1:400 overnight at 4 $^{\circ}$ C
MIA3 Polyclonal Antibody detects endogenous levels of MIA3 protein. DATA:	Note: For research use only, not for use in diagnostic procedure.



Paraformaldehyde-fixed, paraffin embedded (Mouse brain); Antigen re-

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151