

USP44 polyclonal antibody

Catalog: BS67086

Host: Rabbit

Reactivity: Human

BackGround:

Deubiquitinase that plays a key regulatory role in the spindle assembly checkpoint or mitotic checkpoint by preventing premature anaphase onset. Acts by specifically mediating deubiquitination of CDC20, a negative regulator of the anaphase promoting complex/cyclosome (APC/C). Deubiquitination of CDC20 leads to stabilize the MAD2L1-CDC20-APC/C ternary complex (also named mitotic checkpoint complex), thereby preventing premature activation of the APC/C. Promotes association of MAD2L1 with CDC20 and reinforces the spindle assembly checkpoint. Acts as a negative regulator of histone H2B (H2BK120ub1) ubiquitination.

Product:

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide.

Molecular Weight:

~ 80 kDa

Swiss-Prot:

Q9H0E7

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific im-

munogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB (1/500 - 1/1000)


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

Recognizes endogenous levels of USP44 protein.

DATA:



Western blot analysis of USP44 expression in K562 (A), Jurkat (B) whole cell lysates.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151