

8

#### SLC23A1 polyclonal antibody

Catalog:	BS7443
----------	--------

Host:

Rabbit

Reactivity: Human

# **BackGround:**

The absorption of vitamin C into the body and its distribution to organs requires two sodium-dependent vitamin C transporters. This gene encodes one of the two transporters. The encoded protein is active in bulk vitamin C transport involving epithelial surfaces. Previously, this gene had an official symbol of SLC23A2. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

## **Product:**

1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

80kDa

**Swiss-Prot:** 

#### Q9UHI7

**Purification&Purity:** 

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

#### **Applications:**

WB,1:1000 - 1:2000




Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

#### **Modification:**

Unmodification

#### **DATA:**



Western blot analysis of extracts of various cell lines, using SLC23A1 antibody at 1:1000 dilution.<br/>br/>Secondary antibody: HRP Goat Anat 1:10000 dilution.<br/>br/>Lysates/proteins: 25ug per ti-Rabbit IgG lane.<br/>br/>Blocking buffer: 3% nonfat dry milk in TBST.<br/>br/>Detection: ECL Basic Kit .< br/>Exposure time: 10s.

### Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 6122933841 Fax:

#### Bioworld technology, co. Ltd. No 9, weidi road Qixia District Nanjing, 210046, Add: P. R. China. **Email:** info@biogot.com Tel: 0086-025-68037686 0086-025-68035151 Fax: