

**NLRP11 polyclonal antibody**

Catalog: BS74752

Host: Rabbit

Reactivity: Human

BackGround:

This gene is a member of the the NOD-like receptor protein (NLRP) gene family and encodes a protein with an N-terminal pyrin death (PYD) domain and nucleoside triphosphate hydrolase (NACHT) domain and a C-terminal leucine-rich repeats (LRR) region. This gene has been shown to regulate caspases in the proinflammatory signal transduction pathway and, based on studies of other members of the NLRP gene family with similar domain structure, is predicted to form part of the multi-protein inflammasome complex. Alternative splicing produces multiple transcript variants encoding distince isoforms.

Product:

1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

110kDa

Swiss-Prot:

P59045

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:


WB,1:500 - 1:2000|IF/ICC,1:50 - 1:200

Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Modification:

Unmodification

DATA:

Western blot analysis of extracts of 293T cells, using NLRP11 antibody at 1:1000 dilution.
Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.
Lysates/proteins: 25ug per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit .
Exposure time: 1s.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogol.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151