

# PRODUCT DATA SHEET

Bioworld Technology,Inc.

# **APOA2** polyclonal antibody

Catalog: BS90076 Host: Rabbit Reactivity: Human, Rat

#### **BackGround:**

s are protein components of plasma lipoproteins. The human apoA-I gene encodes a single chain, 243 amino acid protein which promotes cholesterol efflux from tissues to the liver for excretion. Apolipoprotein A-I is the major protein component of high density lipoprotein (HDL) in the plasma. It can function as a co-factor for lecithin cholesterolacyltransferase (LCAT), which is responsible for the formation of most plasma cholesterylesters. The human apoA-II gene encodes the second most abundant protein of HDL particles, where it influences plasma levels of free fatty acids (FFA). The human apoA-IV gene encodes a 396 amino acid preprotein, which after proteolytic processing is secreted from the intestine in association with chylomicron particles. ApoA-IV is a potent activator of LCAT in vitro. The human apoA-V gene encodes a 366 amino acid protein that is believed to be an important determinant of plasma triglyceride levels.

#### **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

# **Molecular Weight:**

11 kDa

#### **Swiss-Prot:**

P02652(Human) P04638(Rat)

## **Purification&Purity:**

ProA affinity purified

## **Applications:**

WB:1:500

ICC:1:100-1:500 IHC:1:50-1:200 FC:1:50-1:100


## **Storage&Stability:**

Store at +4  $^{\circ}$ C after thawing. Aliquot store at -20  $^{\circ}$ C or -80  $^{\circ}$ C. Avoid repeated freeze / thaw cycles.


# **Specificity:**

APOA2 polyclonal antibody detects endogenous levels of APOA2 protein.

#### **DATA:**



ICC staining Apolipoprotein A II in HepG2 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



ICC staining Apolipoprotein A II in LOVO cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.

#### Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <a href="mailto:info@biogot.com">info@biogot.com</a>
Tel: 0086-025-68037686
Fax: 0086-025-68035151