

Insulin Degrading Enzyme polyclonal antibody

Catalog: BZ16752 Host: Rabbit	Reactivity: Human, Mouse, Rat
BackGround:	Storage&Stability:
This gene encodes a zinc metallopeptidase that degrades intracellular insulin, and thereby terminates insulins ac- tivity, as well as participating in intercellular peptide sig-	Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.
nalling by degrading diverse peptides such as glucagon, amylin, bradykinin, and kallidin. The preferential affinity	IgG DATA:
of this enzyme for insulin results in insulin-mediated in- hibition of the degradation of other peptides such as be- ta-amyloid.	KDa 250 150 100 75
Product: Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.	50 <u></u>
Molecular Weight: Calculated MW: 118 kDa; Observed MW: 118 kDa	Western blot analysis of IDE in HepG2 lysates using Insulin Degrading
Swiss-Prot:	Enzyme antibody.
P14735 Purification&Purity:	Note: For research use only, not for use in diagnostic procedure.
Affinity Purified Applications: WB: 1/500-1/1000 IHC: 1/50-1/100	

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151