

# NURR1 polyclonal antibody

Catalog: GCP54

Host: Ra

Rabbit

Reactivity: Human

## **BackGround:**

Nurr1 (Nur-related factor 1) and Nur77 (also designated NGFI-B) encodeorphan nuclear receptors which may comprise an additional subfamily within he nuclear receptor superfamily. The rat and human homologs of mouse Nurr1are designated RNR1 and NOT, respectively. Both Nurr1 and Nur77 are growthfactor inducible, immediate early response genes. Induction of both Nurr1 and-Nur77 is seen after membrane depolarization while only Nur77 induction isseen with NGF stimulation. JunD acts as a mediator for Nur77. An increase in Nurr77 expression is seen in activated T cells during G0 to G1 transition andthroughout the G1 phase. In addition to its function as an immediate earlygene, Nur77 may play a role in TCR-mediated apoptosis. Cyclosporin A, apotent immuno-suppressant, has been shown to inhibit the ability of Nur77to bind DNA. A dominant negative form of Nur77 can protect T cell hybridomas from activation-induced apoptosis. However, the absolute requirementof Nur77 for TCR-mediated apoptosis is still under debate.

## **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

~ 75 kDa

**Swiss-Prot:** 

# P43354

**Purification&Purity:** 

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

#### **Applications:**

WB: 1:2000~1:5000 IHC: 1:50~1:200


### **Storage&Stability:**

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

### **Specificity:**

NURR1 polyclonal antibody detects endogenous levels of NURR1 protein.


### **DATA:**



Western blot (WB) analysis of NURR1 polyclonal antibody at 1:2000 dilution

Lane1:HEK293T whole cell lysate(40ug)

Lane2:A549 whole cell lysate(40ug)



Immunohistochemistry of paraffin-embedded Human Brain using NURR1 antibody at dilution of 1:50.

#### Note:

For research use only, not for use in diagnostic procedure.

#### Bioworld Technology, Inc.

 
 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

### Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nat

 
 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151