

Alpha-fetoglobulin monoclonal antibody

Catalog:	MB65870
----------	---------

Host:

```
Mouse
```

Reactivity: Human

BackGround:

Binds copper, nickel, and fatty acids as well as, and bilirubin less well than, serum albumin. Only a small percentage (less than 2%) of the human AFP shows estrogen-binding properties.

Product:

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.01% sodium azide. **Molecular Weight:**

~ 70 kDa

Swiss-Prot:

P02771

Purification&Purity:

The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB (1/1000 - 1/2000), IHC (1/200 - 1/500)


Storage&Stability:

Store at 4 $^{\rm C}$ short term. Aliquot and store at -20 $^{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

Recognizes endogenous levels of Alpha-fetoglobulin protein.

DATA:



Western blot analysis of Alpha-fetoglobulin expression in HepG2 (A) whole cell lysates.



Immunohistochemical analysis of Alpha-fetoglobulin staining in human hepatocancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151