

## CD50/ICAM-3 polyclonal antibody

Catalog: NCP0215P

Host: Rabbit

Reactivity: Human, Mouse

### BackGround:

ICAM proteins are ligands for the leukocyte adhesion protein LFA-1 (integrin alpha-L/beta-2). ICAM3 is also a ligand for integrin alpha-D/beta-2. In association with integrin alpha-L/beta-2, contributes to apoptotic neutrophil phagocytosis by macrophages.

### Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2.

### Molecular Weight:

~ 140 kDa

### Swiss-Prot:

P32942

### Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

### Applications:

WB: 1:1000~1:2000

IF 1:50~1:200


### Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

### Specificity:

CD50/ICAM-3 polyclonal antibody detects endogenous levels of CD50/ICAM-3 protein.

### DATA:




Western blot (WB) analysis of CD50/ICAM-3 polyclonal antibody at 1:1000 dilution

Lane1:SGC7901 whole cell lysate(30ug)

Lane2:MCF-7 whole cell lysate(30ug)

Lane3:CT-26 whole cell lysate(30ug)



Immunofluorescence analysis of SGC7901 cells using CD50/ICAM-3 pAb at dilution of 1:200.

### Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: [info@bioworld.com](mailto:info@bioworld.com)

Tel: 6123263284

Fax: 6122933841

### Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: [info@biogot.com](mailto:info@biogot.com)

Tel: 0086-025-68037686

Fax: 0086-025-68035151